Burns (1986) 12, (8), 599–606 *Printed in Great Britain*

Index

VOLUME 12 1985–86

Absorption, systemic, studies on, of tobramycin in polyethylene glycol ointment applied to wounds of burn patients, 153
Abstracts, 71, 146, 225, 304, 376, 449, 530, 592
Accidental burn deaths to Egyptian women of reproductive age, 241
Adhesive dressing top layer, physical effect of, on burn wound dressings, 351
Aetiological data, Part II: Analysis of 585 burned patients hospitalized over a 6-year period, 391
Ahrenholz D. H.: *see* Boosalis M. G.
Aitken R. J.: The management of an ingested acid injury extending into the jejunum, 132
Alexander J. W. : *see* Wang S. L.
Allograft, coverage of full skin thickness burns with, inoculated with autogenous epithelial cells, 220
skin, cadaveric, the role of sampling in the detection of microbial contamination on, used as a biological wound dressing, 36
An N.: *see* Wang C. Z.
Anaerobic infection, management of, in extensive burns, 270
Angel M. F.: *see* Kaufman T.
Antia N. H. *see* Mistry S. S.
Antimicrobial cream susceptibility testing, 91
Antiseptic dressing, new, evaluation of, in minor burns, 518
Aoyama H., Izawa Y., Nishizaki A., Sunada H. and Okuda J.: Studies on systemic absorption of tobramycin in polyethylene glycol ointment applied to wounds of burn patients, 153
Aquaphor Gauze dressing, evaluation of, in burned children, 443
Arachidonate cascade in burned rabbits, effect of drugs which affect, 572
Arora S.: *see* Mistry S.
Arturson G. and Jakobsson O. P.: Oedema measurements in a standard burn model, 1
Arturson G.: *see* Jakobsson O. P.
Assessment, preclinical, of burn wound dressings, 161
ATPase and shape, dog erythrocyte, effects of thermal trauma on, 78
Autogenous skin grafting, split thickness, transplantation of anastomosed vascular allomentum and, for repair of deep electrical burns of the wrist, 283
Autograft, generation of; the state of the art, 231
Autopsy study: haematopoietic response to burning, 22
Awwaad A. M.: *see* Gordon M. W. G.
Azami K.: *see* Ono T.

Baldridge E. D.: *see* Eldridge J. P.
Baluda V. P., Lukhoyanova T. I., Kozelskaya L. V., Zyablitsky V. M., Iashvili B. P., Vakulenko A. D. and Staroselskaya A. N.: Drug treatment of changes in platelet-vessel wall interactions in burned rats, 176
Baluda V. P.: *see* Iashvili B. P.
Bartle E.: *see* Wang X. W.
Baruchin A. M. and Zirkin H.: From the time of Mar-Samuel to those of Marjolin, 68
Baruchin A. M. Ben-Meir P. and Greber B.: Burns caused by flaming foods and drinks, 288
Baux S.: *see* Mimoun M.
Ben-Meir P.: *see* Baruchin A. M.
Benediktsson G.: *see* Jakobsson O. P.
Blankstein A.: *see* Heim M.
Book Reviews, 448, 593
Boosalis M. G., Solem L. D., Ahrenholz D. H., McCall J. T. and McClain C. J.: Serum and urinary selenium levels in thermal injury, 236
Bowser-Wallace B. H. and Caldwell F. T.: Fluid requirements of severely burned children 3 years old: hypertonic lactated saline *vs.* Ringer's lactate-colloid, 549
Bowser-Wallace B. H. and Caldwell Jr F. T.: A prospective analysis of hypertonic lactated saline *vs.* Ringer's lactate-colloid for the resuscitation of severely burned children, 402
Brander W. L.; *see* Judkins K. C.
Brisbane, epidemiology of childhood scalds in, 343
Brisbane, epidemiology of industrial burns in, 484
Brook G. J.: *see* Kaufman T.
Brown B.: *see* Browne G.
Browne G., Byrne C., Brown B., Pennock M., Streiner D., Roberts R., Eyles P., Truscott D. and Dabbs R.: Psychosocial adjustment of burn survivors, 28
Bruno L.: *see* Wang S. L.
Burd D. A. R. and Burd E.: The electric kettle flex—a cause for concern, 136
Burd E.: *see* Burd D. A. R.

Burn deaths, accidental, to Egyptian women of reproductive age, 241
Burn injuries, total number of, in a Scandinavian population—a prospective analysis, 567
Burn model, standard, oedema measurements in, 1
Burn patients, 585, analysis of, hospitalized over a 6-year period. Part 1: demographic comparison with the population of origin, 384
Burn patients, 585, analysis of, hospitalized over a 6-year period. Part II: aetiological data, 391
Burn patients, 585, analysis of, hospitalized over a 6-year period. Part III: psychosocial data, 395
Burn-scar therapy, clinical use of a tubular compression bandage, Tubigrip, for: a critical analysis, 58
Burned guinea-pig model, immune function in, effect of Dazmegrel (UK-38,485) on, 307
Burned patients, extracellular protein and fluid shifts in, analysis of, 337
Burned rabbits, effect of drugs which affect the arachidonate cascade in, 572
Burning injury, prevention of, 533
Burning, haematopoietic response to: an autopsy study, 22
Burns after care: a booklet for parents. Your child at home after injury, 364
Bursztein S.: *see* Kaufman T.
Butler-Manuel A. P. and McLean N. R.: An inherent fault in a deep fat fryer, 374
Byrne C.: *see* Browne G.
Byrne S.: *see* Conly J. M.

Calcinosis cutis—a rate late complication of burns, 502
Caldwell F. T.: *see* Bowser-Wallace B. H.
Cardiac force of contraction, effects of thermal trauma on, 167
Carney S. A.: Generation of autograft: the state of the art, 231
Cellular immune response following thermal injury in human patients, 318
Cement burn of the heels, 438
Cement, ready-mixed, full thickness burns from, 139
Cervico-mandibular angle, rebuilding—correcting a deformity of neck burns, 264
Chang Z. D.: *see* Zhang M. L.
Cheng H. H.: *see* Wang X. W.
Cheng J. C. Y.: *see* Leung P. C.
Chia S. L.: *see* Wang X. W.
Child, burned, ecthyma gangrenosum in, 578
Child, burned, lethal case of: sodium poisoning, 293
Child, burnt and asphyxiated, intracranial pressure monitoring as an aid to resuscitation in: three case reports, 212
Child, yours, at home after injury. Burns after care: a booklet for parents, 264
Childhood scalds, epidemiology of, in Brisbane, 343
Children, 3 years old, severely burned, fluid requirements of: hypertonic lactated saline v. Ringer's lactate-colloid, 549
Children, burned, 725, conservative treatment of, hospitalized in 10 years, 297
Children, burned, evaluation of Aquaphor Gauze dressing in, 443
Children, Dutch, young, changing patterns in the causes of scalds in, 563
Children, respiratory injury in: the histology of healing, 357
Children, small, epidemiology of scalds in, 250
Chu P. F.: *see* Liu Z. Y.
Cia T. G.: *see* Romero L. R.
Cimetidine or antacids combined with early enteral feeding, the effects of: prevention of gastrointestinal bleeding in burns, 65
Circumferential burns to the fingers associated with gold platinum rings, 360
Clarke J. A.: *see* Cullen K. W.
Complication of burns, late, rare—calcinosis cutis, 502
Conly J. M., Byrne S., McLeod J., Hoban S., Robertson G. and Ronald A. R.: Antimicrobial cream susceptibility testing, 91
Conservative treatment of 725 burned children hospitalized in 10 years, 297
Contents of *Injury*, IBC, IBC, 230, IBC, 382, IBC, 534 534
Contents of the *Journal of Burn Care and Rehabilitation*, 457, 533
Contracture, burn, of the neck-axillary region, 465
Contractures, burn scar, release of, of the neck in paediatric patients, 422
Counselling the parents of burned children, multidisciplinary group approach to, 479
Courtney J. M.: *see* Queen D.
Courtney J. M.: *see* Quinn K. J.
Coverage of full skin thickness burns with allograft inoculated with autogenous epithelial cells, 220
Cristofolio C., Lorenzini M. and Furlan S.: The use of Omiderm, a new skin substitute, in a burn unit, 586
Cullen K. W., Clarke J. A. and McLean N. R.: The complications of tissue expansion in the burned scalp, 273

Dabbs R.: *see* Browne G.
Darko D. F., Wachtel T. L., Ward H. W. and Frank H. A.: Analysis of 585 burn patients hospitalized over a 6-year period. Part I: demographic comparison with the population of origin, 384
Darko D. F., Wachtel T. L., Ward H. W. and Frank H. A.; Analysis of 585 burn patients hospitalized over a 6-year period. Part II: aetiological data, 391
Darko D. F., Wachtel T. L., Ward H. W. and Frank H. A.: Analysis of 585 burn patients hospitalized over a 6 year period. Part III: psychosocial data, 395
Davidson P. M. : *see* Wilson G. R.
Davies J. W. L.: *see* Wang X. W.
Dazmegrel (UK-38,405), thromboxane synthetase inhibitor, effect of, on wound healing, dermal ink perfusion and skin blood flow measurements in deep partial thickness burns, 312
Dazmegrel (UK-38,485) on immune function in a burned guinea-pig model, 307
De Mey A., Deraemaecker R., Dereere R. and Deconinck P.: Conservative treatment of 725 burned children hospitalized in 10 years, 297
De Wang W.: *see* Li M.

DeClement F. A.: *see* May S.R.
Deconinck P.: *see* De May A.
Deep fat fryer, inherent fault in, 374
Deitch E. A.: A policy of early excision and grafting in elderly burn patients shortens the hospital stay and improves survival, 109
Deitch E. A.: *see* Rose M. P.
Demographic comparison with the population of origin, Part 1. Analysis of 585 burned patients hospitalized over a 6-year period, 384
Depth, B-mode ultrasonic echo determination of, of thermal injury, 432
Deraemaecker R.: *see* De May A.
Dereere R.: *see* De May A.
DNA and RNA in rat liver, amount of, effect of non-lethal scalding on, 172
Dressing, burn wound, preclinical assessment of, 161
Drinks and flaming foods, burns caused by, 288
Drug treatment of changes in platelet-vessel wall interactions in burned rats, 176
Drugs, effect of, which affect the arachidonate cascade in burned rabbits, 572
ten Duis H. J.: *see* Klasen H. J.
ten Duis H. J., Klasen H. J. and Reenalda P. E.: Keraunoparalysis, a 'specific' lightning injury, 54
Duoderm, an alternative dressing for smaller burns, 214
Dutch children, young, changing patterns in the causes of scalds in, 563

E and EAC rosétte-forming cells in patients with thermal injuries, 475
E-rosetting property, burn sera mediated effects on, of normal active T_1 cells, 97
Early excision and grafting, policy of, in elderly burn patients shortens the hospital stay and improves survival, 109
Echo determination, B-mode ultrasonic, of depth of thermal injury, 432
Ecthyma gangrenosum in a burned child, 578
Egg-rich diet, revised: early enteral nutrition for mass burn injury, 260
Egyptian women, accidental burn deaths to, of reproductive age, 241
Ehleben C. M., May S. R. and Still Jr J. M.: Pain associated with an adherent polyurethane wound dressing, 122
Eichenlaub E. H.: *see* Kaufman T.
Elderly burn patients, early excision and grafting in, policy of, shortens the hospital stay and improves survival, 109
Eldridge J. P., Baldridge E. D. and MacMillan B. G. Ecthyma gangrenosum in a burned child, 578
Electric kettle flex—a cause for concern, 136
Electrical burns—incidence and prognosis in Western Scotland, 254
Electrical burns of the wrist, deep, repair of, transplantation of anastomosed vascular allomentum and split thickness autogenous skin grafting for, 283
Electrical burns, acute: a 10-year clinical experience, 427
Electrical injury, high voltage, regeneration of full layer necrosis of the skull following, 206
Enteral nutrition, early, for mass burn injury: the revised egg-rich diet, 260
Epidemiology of childhood burns in Brisbane, 343
Epidemiology of industrial burns in Brisbane, 484
Epidemiology of scalds in small children, 250
Epidemiology of severe burn injuries, 491
Essiet A.: *see* Onuba O.
Evans J. H.: *see* Queen D.
Evans J. H.: *see* Quinn K. J.
Eve M. D.: *see* Frame J. D.
Extracellular protein and fluid shifts, analysis of, in burned patients, 337
Eyles P.: *see* Browne G.

Faivre J. M.: *see* Mimoun M.
Feeding, enteral, early, effects of cimetidine or antacids combined with: prevention of gastrointestinal bleeding in burns, 65
Fingers, circumferential burns to, associated with gold and platinum rings, 360
Flaming foods and drinks, burns caused by, 288
Fluid requirements of severely burned children 3 years old: hypertonic lactated saline *vs.* Ringer's lactate-colloid, 549
Fluid shifts and extracellular protein, analysis of, in burned patients, 337
Forshaw A.: *see* Mason S.
Forshaw A.: *see* Rivlin E.
Fortney J. A.: *see* Saleh S.
Fowler C.: *see* Wilson G. R.
Fowler D. and Pegg S. P.: Modified microstomia prevention splint, 371
Frame J. D., Eve M. D. and Walker C. C.: The use of the mini-tracheotomy technique in burned patients, 440
Frank D. H.: *see* Wachtel T. L.
Frank H. A.: *see* Darko D. F.
Frank H. A.: *see* Wachtel T. L.
Friedman B.: *see* Heim M.
Full skin thickness burns, coverage of, with allograft inoculated with autogenous epithelial cells, 220
Full thickness burns from ready-mixed cement, 139
Fumiiri M.: *see* Hyakusoku H.
Functional changes in rat-liver mitochondria during the early phase of burn injury, 461
Furlan S.: *see* Cristofolio C.
Futrell J. W.: *see* Kaufman T.

Gadalla S.: *see* Saleh S.
Games, use of, in occupational therapy of hand burns, 521
Gao J. Y.: *see* Wang C. Z.
Gao Z. R., Hao Z. Q., Nie L. J. and Liu G. F.: Coverage of skull skin thickness burns with allograft inoculated with autogenous epithelial cells, 220

Gastrointestinal bleeding in burns, prevention of: the effects of cimetidine or antacids combined with early enteral feeding, 65
Gaylor J. D. S.: *see* Queen D.
Gaylor J. D. S.: *see* Quinn K. J.
George R.: *see* Wilson P.
Gordon M. W. G., Reid W. H. and Awwaad A. M.: Electrical burns—incidence and prognosis in Western Scotland, 254
Gowar J. P.: *see* Wyllie F. J.
Greber B.: *see* Baruchin A. M.
Greenhough S.: *see* Kay S.

Haematopoietic response to burning: an autopsy study, 22
Haemostasis, drugs influencing, effects of administration of, during treatment of patients with burns, 184
Hand burns, occupational therapy of, use of games in, 521
Hanumadass M. L., Voora S. B., Kagan R. J. and Matsuda T.: Acute electrical burns: a 10-year clinical experience, 427
Hao Z. Q.: *see* Gao Z. R.
Hasegawa T.: *see* Ono T.
Healing, topical acidification promotes, of experimental deep partial thickness skin burns: a randomized double-blind preliminary study, 84
Heels, cement burns of, 438
Heim M., Blankstein A., Friedman B. and Horoszowski H.: Calcinosis cutis—a rare late complication of burns, 502
Hepatic disorder in burn patients, 49
Herd A. N., Widdowson P. and Tanner N. S. B.: Scalds in the very young: prevention or cure?, 246
Hermans M. H. E. and Hermans R. P.: Duoderm, an alternative dressing for smaller burns, 214
Hermans R. P.: *see* Hermans M. H. E.
Heyd T. J.: *see* Wang S. L.
Hilton J. G. and Marullo D. S.: Effects of thermal trauma on cardiac force of contraction, 167
Hilton J. G., McPherson M. B. and Marullo D. S.: The relationship between post-burn increases in peripheral resistance and vasopressin, 410
Hilton J. G.: Effects of thermal trauma on dog erythrocyte ATPase and shape, 78
Hirshowitz B.: *see* Kaufman T.
Hirshowitz B.: *see* Moscona R.
Hoban S.: *see* Conly J. M.
Horoszowski H.: *see* Heim M.
Hoshi M.: *see* Ono T.
Hunt D.: *see* Phillips W.
Hyakusoku H., Okubo M., Suenobu J. and Fumiiri M.: Use of scarred flaps and secondary flaps for reconstructive surgery of extensive burns, 470
Hypertrophic scars, non-pressure treatment of, 102

Iashvili B. P., Baluda V. P., Lukhoyanova T. I., Kozelskaya L. V., Katsitadze N. G., Kamkamidze M. V. and Robakidze T. A.: The effects of administration of drugs influencing haemostasis during treatment of patients with burns, 184
Iashvili B. P.: *see* Baluda V. P.
Immune mechanisms, cellular, in thermally injured mice, 188
Immune response by a subfraction of burned murine skin, 193
Industrial burns, epidemiology of, in Brisbane, 484
Ingested acid injury, management of, extending into the jejunum, 132
Inhalation injury animal model, extravascular lung water in, early detection of, 457
Injury, your child at home after. Burns after care: a booklet for parents, 364
7th International Congress on Burn Injuries, 200
Intracranial pressure monitoring as an aid to resuscitation in the burnt and asphyxiated child: three case reports, 212
Ishikawa T.: *see* Ohashi M.
Ito T.: *see* Miyoshi K.
Izawa Y.: *see* Aoyama H.

Jacobs R.: *see* Moscona R.
Jakobsson O. P. and Arturson G.: The effect of prompt local cooling on oedema formation in scalded rat paws, 8
Jakobsson O. P., Benediktsson G. and Arturson G.: Early post-burn oedema in leucocyte-free rats, 16
Jakobsson O. P.: *see* Arturson G.
Jayaraman V.: *see* Ramakrishnan K. M.
Jenkins M.: *see* Waymack J. P.
Judkins K. C. and Brander W. L.: Respiratory injury in children: the histology of healing, 357

Kagan R. J.: *see* Hanumadass M. L.
Kamkamidze M. V.: *see* Iashvili B. P.
Katsitadze N. G.: *see* Iashvili B. P.
Kaufman T., Eichenlaub E. H., Angel M. F., Levin M. and Futrell J. W.: Topical acidification promotes healing of experimental deep partial thickness skin burns: a randomized double-blind preliminary study, 84
Kaufman T., Hirshowitz B., Moscona R. and Brook G. J.: Early enteral nutrition for mass burn injury: the revised egg-rich diet, 260
Kaufman T., Monies-Chass I., Hirshowitz B. and Bursztein S.: Sodium poisoning: a lethal case of a burned child, 293
Kaufman T.: *see* Moscona R.
Kawakami S.: *see* Miyoshi K.
Kay S., Rao G. S. S., Lord D. and Greenhough S.: Intracranial pressure monitoring as an aid to resuscitation in the burnt and asphyxiated child: three case reports, 212
Keming C.: *see* Xuemin W.
Keraunoparalysis, a 'specific' lightning injury, 54
Keswani M. H.: The prevention of burning injury, 533
Keswani R. K.: *see* Priya D.
Kirsch J. M.: *see* Mimoun M.
Kitagawa N.: *see* Ohashi M.
Klasen H. J. and ten Duis H. J.: Changing patterns in the causes of scalds in young Dutch children, 563

Klasen H. J.: *see* ten Duis H. J.
Knapp S. C.: *see* Knox III F. S.
Knox III F. S., Wachtel T. L., McCahan Jr G. R. and Knapp S. C.: Thermal properties calculated from measured water content as a function of depth in porcine skin, 556
Koslowski L.: *see* Schmidt K. H.
Kozelskaya L. V.: *see* Baluda V. P.
Kozelskaya L. V.: *see* Iashvili B. P.
Krummel R.: *see* Waymack J. P.

Ledger J.: *see* Wilson G. E.
Leopold G. R.: *see* Wachtel T. L.
Leucocyte-free rats, early post-burn oedema in, 16
Leung A. K. C.: Sunburn from the treatment of neonatal jaundice, 291
Leung P. C., Cheung J. C. Y. and Ma G. F. Y.: Burn contracture of the neck-axillary region, 465
Levick P. L.: *see* Wyllie F. J.
Levin M.: *see* Kaufman T.
Li A. N.: *see* Wang C. Z.
Li M., Xiao G. X., De Wang W. and Ngao L.: Endogenous microbial dissemination following severe burns in rats, 325
Lightning injury caused by discharges accompanying flashovers—a clinical and experimental study of death and survival, 496
Lightning injury, 'specific', keraunoparalysis, 54
Liu G. F.: *see* Gao Z. R.
Liu H. C.: *see* Wang X. W.
Liu Z. Y., Ngao L., Chu P. F., Yang C. C. and Shui J. T.: Pulmonary surfactant activity after severe steam inhalation injury in rabbits, 330
Liver, rat, effect of non-lethal scalding on the amount of DNA and RNA in, 172
Local cooling, effect of, on odema formation in scalded rat paws, 8
Lord D.: *see* Kay S.
Lorenzini M.: *see* Cristofolio C.
Lukes S.: *see* Wang S. L.
Lukhoyanova T. I.: *see* Baluda V. P.
Lukhoyanova T. I.: *see* Iashvili B. P.
Lung lymph flow, dynamic changes of, and the release of lysosomal enzyme from the lungs after severe steam inhalation injury in goats, 415
Lung water, extravascular, early detection of, in inhalation injury animal model, 457
Lyngdorf P., Sorensen B. and Thomsen M.: The total number of burn injuries in a Scandinavian population—a prospective analysis, 567
Lyngdorf P.: Epidemiology of scalds in small children, 250
Lyngdorf P.: Epidemiology of severe burn injuries, 491

Ma G. F. Y.: *see* Leung P. C.
McCahan Jr G. R.: *see* Knox III F. S.
McCall J. T.: *see* Boosalis M. G.
McClain C. J.: *see* Boosalis M. G.
McLean N. R.: *see* Butler-Manuel A. P.
McLean N. R.: *see* Cullen K. W.
McLeod J.: *see* Conly J. M.
MacMillan B. G.: *see* Eldridge J. P.
MacMillan B. G.: *see* Wang X. W.
MacMillan B. G.: *see* Waymack J. P.
McPherson M. B.: *see* Hilton J. G.
Madhivanan T.: *see* Ramakrishnan K. M.
Magic Z., Ristovic B. and Pantelic D.: Effect of non-lethal scalding on the amount of DNA and RNA in rat liver, 172
Mahairas E.: *see* Phillips W.
Mar-Samuel to those of Marjolin, from the times of, 68
Marjolin, from the times of Mar-Samuel to those of, 68
Marullo D. S.: *see* Hilton J. G.
Mason S. and Forshaw A.: Burns after care: a booklet for parents. Your child at home after injury, 364
Mass burn injury, early enteral nutrition for: the revised egg-rich diet, 260
Matsuda T.: *see* Hanumadass M. L.
Matsuda Y.: *see* Miyoshi K.
Matsuno H.: *see* Miyoshi K.
May S. R., Wainwright J. F. and DeClement F. A.: The role of sampling in the detection of microbial contamination on cadaveric allograft skin used as a biological wound dressing, 36
May S. R.: *see* Ehleben C. M.
Microbial contamination, detection of, the role of sampling in, on cadaveric allograft skin used as a biological wound dressing, 36
Microbial dissemination, endogenous, following severe burns in rats, 325
Microstomia prevention splint, modified, 371
Miller F. E., Peterson D. and Miller J.: Abdominal visceral perforation secondary to electrical injury: case report and review of the literature, 505
Miller G. J.: *see* Wang X. W.
Miller J.: *see* Miller F. E.
Miller P. M.: *see* Pegg S. P.
Mimoun M., Kirsch J. M., Faivre J. M. and Baux S.: Rebuilding the cervico-mandibular angle—correcting a deformity of neck burns, 264
Mini-tracheotomy technique, use of, in burned patients, 440
Mistry N. G.: *see* Mistry S.
Mistry N. P.: *see* Mistry S.
Mistry S., Mistry N. G., Antia N. H. and Arora S.: Cellular immune mechanisms in thermally injured mice, 188
Mistry S., Mistry N. P., Arora S. and Antia N. H.: Cellular immune response following thermal injury in human patients, 318
Mistry S. S., Mistry N. F., Arora S. and Antia N. H.: Burn sera mediated effects of the E-rosetting property of normal active T_1 cells, 97
Mitochondria, rat-liver, functional changes in, during the early phase of burn injury, 461
Miyoshi K., Tsukada S., Yasuda Y., Kawakami S., Sakurai T., Matsuda Y., Ito T. and Matsuno H.: Hepatic disorder in burn patients, 49
Monies-Chass I.: *see* Kaufman T.
Moscona R., Kaufman T., Jacobs R. and Hirshowitz B.: Prevention of gastrointestinal bleeding in burns: the effects of cimetidine or antacids combined with early enteral feeding, 65

Moscona R.: *see* Kaufman T.
Moss A. L. H.: *see* Regan M. W.
Multidisciplinary group approach to counselling the parents of burned children, 479

Nathan P.: *see* Waymack J. P.
Neck burns, deformity of, correcting—rebuilding the cervico-mandibular angle, 264
Neck, burn scar contractures of, release of, in paediatric patients, 422
Neck-axillary region, burn contracture of, 465
Necrosis of the skull, full layer, regeneration of, following high voltage electrical injury, 206
Neonatal jaundice, treatment of, sunburn from, 291
Neutropenia, profound, and topical silver sulphadiazine, in a burned child, 295
Ngao L.: *see* Li M.
Ngao L.: *see* Liu Z. Y.
Nie L. J.: *see* Gao Z. R.
Nishizaki A.: *see* Aoyama H.
Non-pressure treatment of hypertrophic scars, 102
Noordhoff M. S.: *see* Yang J. Y.

Obituary, 383
Occupational therapy, use of games in, of hand burns, 521
Oedema formation, the effect of prompt local cooling on, in scalded rat paws, 8
Oedema measurements in a standard burn model, 1
Oedema, post-burn, early, in leucocyte-free rats, 16
Ohashi M., Kitagawa N. and Ishikawa T.: Lightning injury caused by discharges accompanying flashovers—a clinical and experimental study of death and survival, 496
Ohura T.: *see* Ono T.
Okubo M.: *see* Hyakusoku H.
Okuda J.: *see* Aoyama H.
Omiderm, use of, a new skin substitute, in a burn unit, 586
Ono T., Ohura T., Azami K., Hoshi M., Hasegawa T. and Tsutsumi M.: The effect of drugs which affect the arachidonate cascade in burned rabbits, 572
Onuba O. and Essiet A.: Cement burns of the heels, 438

Paediatric patients, release of burn scar contractures of the neck in, 422
Pain associated with an adherent polyurethane wound dressing, 122
Pantelic D.: *see* Magic Z.
Parents of burned children, counselling the, multidisciplinary group approach to, 479
Pegg S. P., Miller P. M., Sticklen E. J. and Storie W. J.: Epidemiology of industrial burns in Brisbane, 484
Pegg S. P.: *see* Fowler D.
Pegg S. P.: *see* Phillips W.
Pennock M.: *see* Browne G.
Peripheral resistance and vasopressin, post-burn increases in, relationship between, 410
Peterson D.: *see* Miller F. E.
Phillips W., Mahairas E., Hunt D. and Pegg S. P.: The epidemiology of childhood scalds in Brisbane, 343
Pinnegar F. C.: *see* Pinnegar M. D.
Pinnegar M. D. and Pinnegar F. C.: History of burn care, 505
Platelet-vessel wall interactions, changes in, drug treatment of, in burned rats, 176
Plessinger R.: *see* Waymack J. P.
Polowyj G.: *see* Rivlin E.
Potts D. M.: *see* Saleh S.
Prevention of burning injury, 533
Priya D., Keswani R. K., Singh V. and Saini A. S.: Evaluation of E and EAC rosette-forming cells in patients with thermal injuries, 475
Psychosocial adjustment of burn survivors, 28
Psychosocial data, Part III: Analysis of 585 burned patients hospitalized over a 6-year period, 395
Pulmonary surfactant activity after severe steam inhalation injury in rabbits, 330

Queen D., Evans J. H., Gaylor J. D. S., Courtney J. M. and Reid W. W.: Preclinical assessment of burn wound dressings, 161
Queen D., Evans J. H., Gaylor J. D. S., Courtney J. M. and Reid W. H.: The physical effects of an adhesive dressing top layer on burn wound dressings, 351
Quinn K. J., Evans J. H., Courtney J. M., Gaylor J. D. S. and Reid W. H.: Non-pressure treatment of hypertrophic scars, 102

Rahimian J.: *see* Stewart R. J.
Raine P.: *see* Wilson P.
Ramachandran K.: *see* Ramakrishnan K. M.
Ramakrishnan K. M., Jayaraman V., Ramachandran K. and Madhivanan T.: The management of anaerobic infection in extensive burns, 270
Rao G. S. S.: *see* Kay S.
Rapien J.: *see* Waymack J. P.
Recent References, 74, 149, 227, 301, 378, 453, 526, 595
Reenalda P. E.: *see* ten Duis H. J.
Regan M. W. and Moss A. L. H.: Circumferential burns to the fingers associated with gold and platinum rings, 360
Regeneration of full layer necrosis of the skull following high voltage electrical injury, 206
Reid W. H.: *see* Gordon M. W. G.
Reid W. H.: *see* Queen D.
Reid W. H.: *see* Quinn K. J.
Respiratory injury in children: the histology of healing, 357
Resuscitation, intracranial pressure monitoring as an aid to, in the burnt and asphyxiated child: three case reports, 212
Ringer's lactate-colloid *vs.* hypertonic lactated saline: fluid requirements of severely burned children 3 years old, 549

Ringer's lactate-colloid *vs.* hypertonic lactated saline, prospective analysis of, for the resuscitation of severely burned children, 402
Rist P.: *see* Schmidt K. H.
Ristovic B.: *see* Magic Z.
Rivlin E., Forshaw A., Polowyj G. and Woodruff B.: A multidisciplinary group approach to counselling the parents of burned children, 479
Robakidze T. A.: *see* Iashvili B. P.
Robb E.: *see* Wang S. L.
Robb E. C.: *see* Waymack J. P.
Roberts B. B.: *see* Wang X. W.
Roberts R.: *see* Browne G.
Robertson G.: *see* Conly J. M.
Robinson W. A.: *see* Wang X. W.
Rogers S. M.: *see* Saleh S.
Romero L. R. and Cia T. G.: Analysis of the extracellular protein and fluid shifts in burned patients, 337
Ronald A. R.: *see* Conly J. M.
Rose M. P. and Deitch E. A.: The clinical use of a tubular compression bandage, Tubigrip, for burn-scar therapy: a critical analysis, 58
Rosenberg L.: *see* Mahler D.
Rowland R. R. R.: *see* Stewart R. J.

Saini A. S.: *see* Priya D.
Sakurai T.: *see* Miyoshi K.
Saleh S., Gadalla S., Fortney J. A., Rogers S. M. and Potts D. M.: Accidental burn deaths to Egyptian women of reproductive age, 241
Saline, hypertonic lactated *vs.* Ringer's lactate-colloid: fluid requirements of severely burned children 3 years old, 549
Saline, hypertonic lactated, *vs.* Ringer's lactate-colloid, prospective analysis of, for the resuscitation of severely burned children, 402
Santibanez A. S.: *see* Stewart R. J.
Sawada Y.: Adverse reaction to sulphonamides in a burned patient—a case report, 127
Scalding, non-lethal, effect of, on the amount of DNA and RNA in rat liver, 172
Scalds in the very young: prevention or cure?, 246
Scalds, causes of, changing patterns in, in young Dutch children, 563
Scalds, epidemiology of, in small children, 250
Scalp, burned, complications of tissue expansion in, 273
Scandinavian population, total number of burn injuries in—a prospective analysis, 567
Schmidt K. H., Rist P. and Koslowski L.: Changes in the cellular immune response by a subfraction of burned murine skin, 200
Selenium levels, serum and urinary, in thermal injury, 236
Severe burn injuries, epidemiology of, 491
Severe burns in rats, endogenous microbial dissemination following, 325
Shanping S.: *see* Xuemin W.
Shui J. T.: *see* Liu Z. Y.
Silberstein E. B.: *see* Wang S. L.
Silver sulphadiazine, topical, and profound neutropenia in a burned child, 295
Singh V.: *see* Priya D.
Skin substitute, new, use of Omiderm, in a burn unit, 586
Sodium poisoning: a lethal case of a burned child, 293
Solem L. D.: *see* Boosalis M. G.
Staroselskaya A. N.: *see* Baluda V. P.
Steam inhalation injury in rabbits, severe, pulmonary surfactant activity after, 330
Steam inhalation injury, severe, in goats, dynamic changes of lung lymph flow and the release of lysosomal enzyme from the lungs after, 415
Stewart R. J., Yamaguchi K. T., Rowland R. R. R., Santibanez A. S. and Rahimian J.: Early detection of extravascular lung water in an inhalation injury animal model, 457
Sticklen E. J.: *see* Pegg S. P.
Still Jr J. M.: *see* Ehleben C. M.
Storie W. J.: *see* Pegg S. P.
Streiner D.: *see* Browne G.
Su H.: *see* Wang X. W.
Suenobu J.: *see* Hyakusoku H.
Sulphonamides, adverse reaction to, in a burned patient—a case report, 127
Sunada H.: *see* Aoyama H.
Sunburn from the treatment of neonatal jaundice, 291

T_1 cells, normal active, burn sera mediated effects on the E-rosetting property of, 97
Tanner N. S. B.: *see* Herd A. N.
Thermal injury, cellular immune response following, in human patients, 318
Thermal injury, depth of, B-mode ultrasonic determination of, 432
Thermal injury, selenium levels in, serum and urinary, 236
Thermal properties calculated from measured water content as a function of depth in porcine skin, 556
Thermal trauma, effects of, on dog erythrocyte ATPase and shape, 78
Thermal trauma, effects of, on cardiac force of contraction, 167
Thermally injured mice, cellular immune mechanisms in, 188
Thomsen M.: *see* Lyngdorf P.
Thorley M.: *see* Wilson G. E.
Thromboxane synthetase inhibitor Dazmegrel (UK-38,485), effect of, on wound healing, dermal ink perfusion and skin blood flow measurements in deep partial thickness burns, 312
Tissue expanders, use of, after burns and other injuries, 277
Tissue expansion, complication of, in the burned scalp, 273
Tobramycin, studies on systemic absorption of, in polyethylene glycol ointment applied to wounds of burn patients, 153

Topical acidification promotes healing of experimental deep partial thickness skin burns: a randomized double-blind preliminary study, 84
Transplantation of anastomosed vascular allomentum and split thickness autogenous skin grafting for repair of deep electrical burns of the wrist, 283
Treatment of patients with burns, during, drugs influencing haemostatis, effects of administration of, 184
Truscott D.: *see* Browne G.
Tsai Y. C.: *see* Yang J. Y.
Tsukada S.: *see* Miyoshi K.
Tsutsumi M.: *see* Ono T.
Tubular compression bandage, Tubigrip, clinical use of, for burn-scar therapy: a critical analysis, 58
Turn-over flaps, application of, to burn wounds, 115

Vakulenko A. D.: *see* Baluda V. P.
van Straten O.: The use of games in occupational therapy of hand burns, 521
Vasopressin and peripheral resistance, post-burn increases in, relationship between, 410
Voora S. B.: *see* Hanumadass M. L.

Wachtel T. L., Leopold G. R., Frank H. A. and Frank D. H.: B-mode ultrasonic echo determination of depth of thermal injury, 432
Wachtel T. L.: *see* Darko D. F.
Wachtel T. L.: *see* Knox III F. S.
Wainwright J. F.: *see* May S. R.
Walker C. C.: *see* Frame J. D.
Wallner S. F. and Warren G. H.: The haematopoietic response to burning: an autopsy study, 22
Wang C. Z., Li A. M., Zhu P. F., Yang Z. C., Gao J. Y., Zeng S. Q., Wang D. and An N.: Dynamic changes of lung lymph flow and the release of lysosomal enzyme from the lungs after severe steam inhalation injury in goats, 415
Wang D.: *see* Wang C. Z.
Wang S. L., Silberstein E. B., Lukes S., Robb E., Zou W. Z., Bruno L., Heyd T. J., Waymack J. P. and Alexander J. W.: The effect of the thromboxane synthetase inhibitor Dazmegrel (UK-38,485) on wound healing, dermal ink perfusion and skin blood flow measurements in deep partial thickness burns, 312
Wang S. L., Waymack J. P. and Alexander J. W.: Effect of Dazmegrel (UK-38, 485) on immune function in a burned guinea-pig model, 307.
Wang X. W., Cheng H. H., Chia S. L., Liu H. C., Su H., Davies J. W. L., Bartle E. J., Roberts B. B. and Zapata-Sirvent R. L.: Transplantation of anastomosed vascular allomentum and split thickness autogenous skin grafting for repair of deep electrical burns of the wrist, 283
Wang X. W., Miller G. J., Bartle E., Zapata Sirvent R., Roberts B. B., Robinson W. A., Davies J. W. L. and MacMillan B. G.: Regeneration of full layer necrosis of the skull following high voltage electrical injury, 206
Ward H. W.: *see* Darko D. F.
Warren G. H.: *see* Wallner S. F.
Water content, measured, thermal properties calculated from, as a function of depth in porcine skin, 556
Waymack J. P., Nathan P., Robb E. C., Plessinger R., Rapien J., Krummel R., Jenkins M. and MacMillan B. G.: An evaluation of Aquaphor Gauze dressing in burned children, 443
Waymack J. P.: Release of burn scar contractures of the neck in paediatric patients, 422
Waymack J. P.: *see* Wang S. L.
Widdowson P.: *see* Herd A. N.
Wilson G. R. and Davidson P. M.: Full thickness burns from ready-mixed cement, 139
Wilson G. R., Fowler C., Ledger J. and Thorley M.: Evaluation of new antiseptic dressing in minor burns, 518
Wilson P., George R. and Raine P.: Topical silver sulphadiazine and profound neutropenia in a burned child, 295
Woodruff B.: *see* Rivlin E.
Wound dressing adherent polyurethane, pain associated with, 122
Wound dressing, biological, the role of sampling in the detection of microbial contamination on cadaveric allograft skin used as, 36
Wound dressings, burn, physical effects of an adhesive dressing top layer on, 351
Wound healing, dermal ink perfusion and skin blood flow measurements in deep partial thickness burns, effect of the thromboxane synthetase inhibitor Dazmegrel (UK-38,485) on, 312
Wyllie F. J., Gowar J. P. and Levick P. L.: Use of tissue expanders after burns and other injuries, 277

Xiao G. X.: *see* Li M.
Xuemin W., Keming C., Ying W. and Shanping S.: Functional changes in rat-liver mitochondria during the early phase of burn injury, 461.
Xun H.: *see* Zhang M. L.

Yamaguchi K. T.: *see* Stewart R. J.
Yang C. C.: *see* Liu Z. Y.
Yang J. Y., Tsai Y. C. and Noordhoff M. S.: The application of turn-over flaps to burn wounds, 115
Yang Z. C.: *see* Wang C. Z.
Yasuda Y.: *see* Miyoshi K.
Ying W.: *see* Xuemin W.

Zapata Sirvent R.: *see* Wang X. W.
Zeng S. Q.: *see* Wang C. Z.
Zhang M. L., Chang Z. D., Xun H. and Zhu M.: Microskin grafting. I. Animal experiments, 540
Zhang M. L., Chang Z. D., Xun H. and Zhu M.: Microskin grafting. II. Clinical report, 544
Zhu M.: *see* Zhang M. L.
Zhu P. F.: *see* Wang C. Z.
Zirkin H.: *see* Baruchin A. M.
Zou W. Z.: *see* Wang S. L.
Zyablitsky V. M.: *see* Baluda V. P.